

# State of New Hampshire Department of Revenue Administration

109 Pleasant Street
PO Box 487, Concord, NH 03302-0487
Telephone (603) 230-5000
www.revenue.nh.gov



MUNICIPAL AND PROPERTY DIVISION James P. Gerry Director

> Samuel T. Greene Assistant Director

January 10, 2020

Town of Sanbornton ATTN: Board of Selectmen PO Box 124 Sanbornton, NH 03269-

RE: 2018 Assessment Review

Honorable Members of the Board of Selectmen:

The New Hampshire Department of Revenue Administration has completed its review of the Town of Sanbornton's assessments required by RSA 21-J: 11-a. The Department has considered the degree to which assessments in Sanbornton achieved substantial compliance with applicable statutes and rules. The Department considered compliance with the six assessment areas specifically identified in RSA 21-J: 11-a, and RSA 21-J: 14-b I. (c).

#### They are:

- A. Level of assessments and uniformity of assessments are within acceptable ranges as recommended by the Assessing Standards Board (ASB) by considering, where appropriate, an assessment-to-sales-ratio study conducted by the Department for the municipality;
- B. Assessment practices substantially comply with applicable statutes and rules;
- C. Exemption and credit procedures substantially comply with applicable statutes and rules;
- D. Assessments are based on reasonably accurate data;
- E. Assessments of various types of properties are reasonably proportional to other types of properties within the municipality; and,
- F. For all revaluations including full revaluations, partial revaluations, cyclical revaluations and statistical updates conducted on or after the April 1, 2006 assessment year, either by an independent contractor or an in-house assessor, a report based on the most recent edition of the Uniform Standards of Professional Appraisal Practice (USPAP) shall be produced.

In accordance with RSA 21-J: 11-a, II, the Department shall report its findings to the ASB and the municipality. This letter constitutes our report.

After completing its review, the Department has determined that the Town of Sanbornton is not in substantial compliance with applicable assessing statutes and rules as identified in RSA 21-J: 11-a, I and RSA 21-J: 14-b, I(c) because it has not met one or more of the standards adopted by the ASB pursuant to N.H. Administrative Rule ASB 102.02. See Standards for Monitoring of Local Assessing Practices by the Department of Revenue Administration Adopted by the Assessing Standards Board May 11, 2018 (the ASB Standards).

The ASB standards not met include:

ASB III, B. 2. Assessments as of April 1, 2018. Multiple permit properties showed inaccurate measurements or feature labeling.

ASB III, C. 1b. Exemptions. All solar energy exemptions granted in Sanbornton are contrary to the two criteria established in Rev 414.01. Rev 414.01 states "The amount of the exemption for solar energy systems shall be equal to: 100% of any increase in the assessed value of the applicant's residential real estate resulting from the solar energy system; or a dollar amount adopted by the municipality."

Attached please find the Department's worksheets indicating areas that should be addressed.

Prior to the release of this report to the ASB you have an opportunity to respond to the findings in this report. Please let us know within 30 days if you have a response to this letter.

We would like to thank you and the staff members who assisted the Department for working with us in an understanding and cooperative manner.

Your next Assessment Review is scheduled for 2023. Should you be interested in changing your Assessment Review year, such a request may be approved so long as the time between reviews does not exceed five years.

If you have any questions, feel free to contact me.

Sincerely,

James Gerry, Director

James 1

Municipal and Property Division

cc: Assessing Standards Board File



### **INVENTORY PROGRAM COVER SHEET APRIL 1, 2018**

	ASB III, B. 2. and 3.			
Name of Municipality:	Sanbornton			
B2-90% of PRCs sam	pled should reflect assessments as of April	1. RSA	74:1	
<b>B3-Revised Inventor</b>	y program that addresses compliance with	RSA 75	5:8	
Municipal	ity of Sanbornton in the category of ASSESSMENTS as of INVENTORY PLAN:	of April 1,	and RE	VISED
		B2	В3	
	Met Standard		X	_
	Did Not Meet Standard	X		
Comments:				
RA Appraiser Signature:	Charles Reese		Date:	6/22/18
NPA Supervisor Initials	1 X		D-4	11.01-



#### ASSESSMENTS as of April 1, 2018

#### ASB III, B. 2.

Name of Municipality:	Sanbornton	Date of Review:	6/22/2018
		_	

<u>Sample</u>		Assessments RSA 74:1	
Number:	Parcel ID:		Values Reflect April 1:
1	10-104		Yes
2	10-20		Yes
3	10-99	·	Yes
4	11-23		Yes
5	12-122		Yes
6	14-29		Yes
7	14-29-1		Yes
8	16-33		Yes
9	16-41-1		Yes
10	17-33		Yes
11	17-4-12		Yes
12	18-5		Yes
13	18-50-3		Yes
14	18-74		No
15	20-47		No
16	20-73		Yes



### ASSESSMENTS as of April 1, 2018

#### ASB III, B. 2.

		1	
Name of Municipality:	Sanbornton	Date of Review:	6/22/2018

#### Assessments RSA 74:1

<u>Sample</u>		
Number:	Parcel ID:	Values Reflect April 1:
17	21-11	Yes
18	21-16	Yes
19	21-2-B	Yes
20	23-7-1	No
21	26-68-2	Yes
22	3-49-7	Yes
23	8-26	Yes
24	9-7	No .



#### ASSESSMENTS as of April 1, 2018

Date:

ASB III, B. 2. Name of Municipality: Sanbornton Date of Review: 6/22/2018 Assessments RSA 74:1 <u>Sample</u> Number: Parcel ID: Values Reflect April 1: **Comments:** Sample #14 Observed larger deck than noted on card. Sample #15 Exterior siding noted as vinyl, observed as cement clapboard. FOP observed to be larger than noted on card. Sample #20 Roof cover noted as metal/tin, observed as standing seam. Sample #24 FGR2 noted as 1200sqft, observed as 1280sqft (32x40) **DRA Appraisar Signature:** Charles Reese Date: 6/22/2018

**DRA Supervisor Initials:** 



### **EXEMPTIONS COVER SHEET APRIL 1, 2018**

### ASB III, C. 1. b

Name of Municipality:	Sanbornton	
Total Parcels Sampled		20
Unacceptable Samples		12
Acceptable Samples		8
Percent of Acceptable Sam	ples (Minimum 95%)	40.0%
Muni	cipality of Sanbornton in the category of EXEMPTIONS:	
	Met Standard  Did Not Meet Standard	<u> </u>
Comments:		
	•	
DRA Appraiser Signature:	Charles Reese	Date: 3/22/19
DRA Supervisor Initials:	Að	Date: 1/7/20

Exemptions Cover Sheet Revised April 2015



### **EXEMPTIONS WORKSHEET as of APRIL 1, 2018**

ASB III, C. 1.b

Name of Municipality:		Sanbornt	on			Date o	<b>Date of Review:</b> 3/22/2019		
Sample Number	Parcel ID:	Exemption Type:	Application Completed, timely filed, and signed by the applicant	Application Approved by the Assessor	Proper Documentation supplied	If Applicant is listed under a trust, is a PA-33 Form filed	Is applicant receiving the proper amount of exemption, per age group, as voted	<u>Year</u> <u>Last Review</u>	Results:
1	03-009	Elderly	Yes	Yes	Yes	N/A	Yes	2016	Met Standard
2	03-106	Solar Energy	Yes	Yes	Yes	N/A	No	2016	Did Not Meet Standard
3	04-046	Solar Energy	Yes	Yes	Yes	N/A	No	2017	Did Not Meet Standard
4	09-013-001-	Elderly	Yes	Yes	Yes	N/A	Yes	2016	Met Standard
5	09-092	Solar Energy	Yes	Yes	Yes	N/A	No	2018	Did Not Meet Standard
6	10-089	Elderly	Yes	Yes	Yes	N/A	Yes	2017	Met Standard
7	10-128	Solar Energy	Yes	Yes	Yes	Yes	No	2016	Did Not Meet Standard
8	16-033	Solar Energy	Yes	Yes	Yes	N/A	No	2016	Did Not Meet Standard
9	17-042	Solar Energy	Yes	Yes	Yes	Yes	No	2018	Did Not Meet Standard
10	18-023	Elderly	Yes	Yes	Yes	N/A	Yes	2016	Met Standard
11	20-010	Solar Energy	Yes	Yes	Yes	N/A	No	2016	Did Not Meet Standard



### **EXEMPTIONS WORKSHEET as of APRIL 1, 2018**

ASB III, C. 1.b

Name	of Municipality:	Sanbornt	on		¥.	Date o	f Review:	3/22/2	019
Sample Number	<u>Parcel ID:</u>	Exemption Type:	Application Completed, timely filed, and signed by the applicant	Application Approved by the Assessor	Proper Documentation supplied	If Applicant is listed under a trust, is a PA-33 Form filed	Is applicant receiving the proper amount of exemption, per age group, as voted	<u>Year</u> Last Review	Results:
12	20-013-X-	Elderly	Yes	Yes	Yes	N/A	Yes	2018	Met Standard
13	20-015-002-	Solar Energy	Yes	Yes	Yes	N/A	No	2016	Did Not Meet Standard
14	20-085-005-B	Elderly	Yes	Yes	Yes	N/A	Yes	2016	Met Standard
15	21-065	Elderly	Yes	Yes	Yes	N/A	Yes	2018	Met Standard
16	22-021	Solar Energy	Yes	Yes	Yes	N/A	No	2016	Did Not Meet Standard
17	23-027-005-	Solar Energy	Yes	Yes	Yes	N/A	No	2016	Did Not Meet Standard
18	26-031	Solar Energy	Yes	Yes	Yes	N/A	No	2016	Did Not Meet Standard
19	27-024	Elderly	Yes	Yes	Yes	N/A	Yes	2016	Met Standard
20	27-040	Solar Energy	Yes	Yes	Yes	N/A	No	2016	Did Not Meet Standard



#### **EXEMPTIONS WORKSHEET as of APRIL 1, 2018**

ASB III, C. 1.b

Name of Municipality:		Sanbornto	on 			Date o	f Review:	view: 3/22/2019			
Sample Number	Parcel ID:	Exemption Type:	Application Completed, timely filed, and signed by the applicant	Application Approved by the Assessor	Proper Documentation supplied	If Applicant is listed under a trust, is a PA-33 Form filed	Is applican receiving th proper amou of exemptio per age grou as voted	ne unt on, up,	Year t Review	Results:	
Comments:  Samples #2, 3, 5, 7, 9, 10, 12, 14, 17, 18, 19 & 21 The exemption amount applied is in excess of 100% of the increase in the assessed value of the applicant's residential real estate resulting from the solar energy system. (Rev 414.01)											
DRA A	ppraiser Signatur	e:		Charles	Reese		D	ate:	3	/22/2019	
DRA S	DRA Supervisor Initials:			M	Date: 1/7/2424				12121		